



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/771,836	02/03/2004	Lauri Paatero	915-008.020	9737
4955	7590	02/17/2009	EXAMINER	
WARE FRESSOLA VAN DER SLUYS & ADOLPHSON, LLP BRADFORD GREEN, BUILDING 5 755 MAIN STREET, P O BOX 224 MONROE, CT 06468			CHEN, SHIN HON	
			ART UNIT	PAPER NUMBER
			2431	
			MAIL DATE	DELIVERY MODE
			02/17/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No. 10/771,836	Applicant(s) PAATERO, LAURI	
Examiner SHIN-HON CHEN	Art Unit 2431	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 27 October 2008.
- 2a) This action is **FINAL**.
- 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-32 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1-32 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 03 February 2004 is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) All b) Some * c) None of:
 - 1. Certified copies of the priority documents have been received.
 - 2. Certified copies of the priority documents have been received in Application No. _____.
 - 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) Notice of References Cited (PTO-892)
- 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) Interview Summary (PTO-413)
Paper No(s)/Mail Date _____.
- 5) Notice of Informal Patent Application
- 6) Other: _____.

DETAILED ACTION

1. Claims 1-24 have been examined.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

3. Claims 1-3, 8-10 and 22-28 are rejected under 35 U.S.C. 102(a) as being anticipated by Cassagnol et al. U.S. Pub. No. 20020129245 (hereinafter Cassagnol).

4. As per claim 1, Cassagnol discloses a method comprising:

receiving, in a secure environment in a terminal, via a secure channel, from a server outside said terminal, a first key for decrypting said encrypted application (Cassagnol: [0109]-[0112]: the keys are communicated between the VersaCrypt applets/secure environment at the key server and the VersaCrypt applets/secure environment in the apparatus...all communication between the key server and apparatus are encrypted);

decrypting, in the secure environment, said encrypted application (204) by means of said first key (Cassagnol: [0025]: decrypt with first whitening key);

re-encrypting, in said secure environment, the application by means of a second key (Cassagnol: [0025]: re-encrypt data with second whitening key); and

Art Unit: 2431

storing, outside said secure environment, the re-encrypted application (Cassagnol: [0043]: the re-encrypted information is stored externally).

5. As per claim 2, Cassagnol discloses a method comprising:

receiving an encrypted application in a terminal (Cassagnol: [0011]: receive encrypted information);

receiving, in a secure environment in said terminal, via a secure channel, from a server outside said terminal, a first key for decrypting said encrypted application (Cassagnol: [0111]-[0112]: receiving key from key server through secure channel);

encrypting, in said secure environment, said first key by means of a second key (Cassagnol: [0058] and [0061]-[0062]: the encrypted master key/encrypted first key can be decrypted using device key/second key); and

storing, outside said secure environment, the encrypted first key (Cassagnol: [0058]: the whitening keys are stored outside of the secure environment).

6. As per claim 3, Cassagnol discloses the method according to claim 1. Cassagnol further discloses encrypting, in said secure environment (205), said first key by means of the second key; and storing, outside said secure environment (205), the encrypted first key (Cassagnol: [0058]: keys are encrypted and stored externally).

7. As per claim 8, Cassagnol discloses an apparatus comprising:

Art Unit: 2431

an application including an installation part for receiving, in a secure environment in said terminal, via a secure channel, from a server outside said terminal, a first key for decrypting said encrypted application (Cassagnol: [0111]-[0112]: receiving key from key server through secure channel);

a processor for decrypting, in the secure environment, said encrypted application (204) by means of said first key (Cassagnol: [0025]: decrypt with first whitening key);

said processor for re-encrypting, in said secure environment, the application by means of a second key (Cassagnol: [0025]: re-encrypt data with second whitening key); and

memory for storing, outside said secure environment, the re-encrypted application (Cassagnol: [0043]: the re-encrypted information is stored externally).

8. As per claim 9, Cassagnol discloses an apparatus comprising:

an application including an installation part for receiving, in a secure environment in said terminal, via a secure channel, from a server outside said terminal, a first key for decrypting said encrypted application (Cassagnol: [0111]-[0112]: receiving key from key server through secure channel);

a processor for encrypting, in said secure environment, said first key by means of a second key (Cassagnol: [0058]: the encrypted key is stored externally); and

said processor for storing, outside said secure environment, the encrypted first key (Cassagnol: [0058]).

Art Unit: 2431

9. As per claim 10, Cassagnol discloses the apparatus of claim 8. Cassagnol further discloses wherein said processor is:

for encrypting, in said secure environment (205), said first key by means of the second key; and storing, outside said secure environment (205), the encrypted first key (Cassagnol: [0058]: keys are encrypted and stored externally).

10. As per claim 22, Cassagnol discloses a terminal device comprising:

an installation part of an application , responsive to a first key provided over a secure channel from a server external to said terminal device for providing said first key (Cassagnol: [0111]: receive the cryptographic key); and

a secure environment, responsive to said first key from said installation part of said application for decrypting an encrypted application in said terminal device using said first key received over said secure channel from said server external to said terminal device (Cassagnol: [0111]-[0112]: receiving key from key server thorough secure channel to decrypt data within secure environment).

11. As per claim 23, Cassagnol discloses the terminal device of claim 22. Cassagnol further discloses wherein said first key is encrypted by said server using a second key belonging to said terminal device for providing said first key from said server to said terminal device (Cassagnol: [0110]-[0112]: data and key communication between the device and server are encrypted).

Art Unit: 2431

12. As per claim 24, Cassagnol discloses an integrated circuit for installation in a terminal comprising:

a signal processor and a secure environment, said secure environment responsive to a first key from a server outside said terminal received over a secure channel for decrypting an encrypted application within said secure environment (Cassagnol: [0111]-[0112]: receiving key from key server through secure channel), for executing said decrypted application within said secure environment (Cassagnol: [0025]: decrypt with first whitening key) and for encrypting said first key with a second key belonging to said terminal device for storage outside said secure environment (Cassagnol: [0111]: communication between device and key server is encrypted with session key/second key) so that said first key can be used again with said secure environment without need for receipt again of said first key from said server (Cassagnol: [0112]: the server sends key material to the device/first key).

13. As per claim 25, Cassagnol discloses the method of claim 2. Cassagnol further discloses receiving another encrypted application in the terminal (Cassagnol: [0043]: handling the encrypted software within the secure environment); loading the encrypted first key from outside said secure environment (Cassagnol: [0058]: the key is imported externally for decryption); decrypting the encrypted first key with the second key (Cassagnol: [0061]: the master key is decrypted using device key); and decrypting the other encrypted application with the decrypted first key (Cassagnol: [0061]: the software master key is used to decrypt the application).

Art Unit: 2431

14. As per claim 26, Cassagnol discloses the method of claim 25. Cassagnol further discloses re-encrypting the first key by means of a second key (Cassagnol: [0062]: the EMK/first key is encrypted with device key/second key); and storing, outside said secure environment, the encrypted first key (Cassagnol: [0058]: the encrypted whitening key is typically stored outside the secure environment).

15. As per claim 27, Cassagnol discloses the apparatus of claim 9. Cassagnol further discloses wherein said installation part is for receiving another encrypted application in the terminal (Cassagnol: [0043]: handling the encrypted software within the secure environment); loading the encrypted first key from outside said secure environment (Cassagnol: [0058]: the key is imported externally for decryption); decrypting the encrypted first key with the second key (Cassagnol: [0061]: the master key is decrypted using device key); and decrypting the other encrypted application with the decrypted first key (Cassagnol: [0061]: the software master key is used to decrypt the application).

16. As per claim 28, Cassagnol discloses the apparatus of claim 27. Cassagnol further discloses wherein said processor is further configured to: re-encrypting the first key by means of a second key (Cassagnol: [0062]: the EMK/first key is encrypted with device key/second key); and storing, outside said secure environment, the encrypted first key (Cassagnol: [0058]: the encrypted whitening key is typically stored outside the secure environment).

Claim Rejections - 35 USC § 103

17. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

18. Claims 4-6, 11-13, 15-17 and 19-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cassagnol in view of Matyas et al. U.S. Pat. No. 7051211 (hereinafter Matyas).

19. As per claim 4, Cassagnol discloses the method according to claim 1. Cassagnol does not explicitly disclose wherein said second key is symmetric and can be derived from the application (202). However, Matyas discloses generating a new key for re-encrypting protected software derived from the software (Matyas: column 10 lines 26-46: new key is generated from S and K and S is provided along with application). It would have been obvious to one having ordinary skill in the art to generate a new key based on information provided in the application because the derived information can be used as a seed in generating new key. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Matyas within the system of Cassagnol because it prevents malicious from using the first key by generating a new key based on additional information.

Art Unit: 2431

20. As per claim 5, Cassagnol discloses the method according to claim 4. Cassagnol as modified further discloses wherein said second key is comprised in the application (202) itself (Matyas: column 10 lines 26-46).

21. As per claim 6, Cassagnol discloses the method according to claim 4. Cassagnol as modified further discloses wherein said second key is generated in the secure environment (205) using an application seed (Cassagnol: [0025]: generating new key in the secure environment).

22. As per claim 11, Cassagnol discloses the apparatus according to claim 8. Cassagnol does not explicitly disclose wherein said second key is symmetric and can be derived from the application (202). However, Matyas discloses generating a new key for re-encrypting protected software derived from the software (Matyas: column 10 lines 26-46: new key is generated from S and K and S is provided along with application). It would have been obvious to one having ordinary skill in the art to generate a new key based on information provided in the application because the derived information can be used as a seed in generating new key. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Matyas within the system of Cassagnol because it prevents malicious from using the first key by generating a new key based on additional information.

23. As per claim 12, Cassagnol discloses the apparatus according to claim 11. Cassagnol as modified further discloses wherein said second key is comprised in the application (202) itself (Matyas: column 10 lines 26-46).

Art Unit: 2431

24. As per claim 13, Cassagnol discloses the apparatus according to claim 11. Cassagnol as modified further discloses wherein said second key is generated in the secure environment (205) using an application seed (Cassagnol: [0025]: generating new key in the secure environment).

25. As per claim 15, Cassagnol discloses the method according to claim 2. Cassagnol does not explicitly disclose wherein said second key is symmetric and can be derived from the application (202). However, Matyas discloses generating a new key for re-encrypting protected software derived from the software (Matyas: column 10 lines 26-46: new key is generated from S and K and S is provided along with application). It would have been obvious to one having ordinary skill in the art to generate a new key based on information provided in the application because the derived information can be used as a seed in generating new key. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Matyas within the system of Cassagnol because it prevents malicious from using the first key by generating a new key based on additional information.

26. As per claim 16, Cassagnol discloses the method according to claim 15. Cassagnol as modified further discloses wherein said second key is comprised in the application (202) itself (Matyas: column 10 lines 26-46).

Art Unit: 2431

27. As per claim 17, Cassagnol discloses the method according to claim 15. Cassagnol as modified further discloses wherein said second key is generated in the secure environment (205) using an application seed (Cassagnol: [0025]: generating new key in the secure environment).

28. As per claim 19, Cassagnol discloses the method according to claim 9. Cassagnol does not explicitly disclose wherein said second key is symmetric and can be derived from the application (202). However, Matyas discloses generating a new key for re-encrypting protected software derived from the software (Matyas: column 10 lines 26-46: new key is generated from S and K and S is provided along with application). It would have been obvious to one having ordinary skill in the art to generate a new key based on information provided in the application because the derived information can be used as a seed in generating new key. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Matyas within the system of Cassagnol because it prevents malicious from using the first key by generating a new key based on additional information.

29. As per claim 20, Cassagnol discloses the method according to claim 19. Cassagnol as modified further discloses wherein said second key is comprised in the application (202) itself (Matyas: column 10 lines 26-46).

30. Claims 7, 14, 18, 21, and 29-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cassagnol in view of Takeuchi et al. U.S. Pat. No. 6647495 (hereinafter Takeuchi).

Art Unit: 2431

31. As per claim 7, Cassagnol discloses the method of claim 1. Cassagnol does not explicitly disclose wherein multiple keys can be transferred successively on the secure channel into the secure environment, each key being used to decrypt a corresponding encrypted application in the secure environment. However, Takeuchi discloses transmitting decryption key when protected software is transmitted to the program execution program (Takeuchi: figure 1). It would have been obvious to one having ordinary skill in the art to process different software with different keys sequentially. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Takeuchi within the system of Cassagnol because it is well known in the art to process multiple software within a single processor.

32. As per claim 14, Cassagnol discloses the apparatus of claim 8. Cassagnol does not explicitly disclose wherein multiple keys can be transferred successively on the secure channel into the secure environment, each key being used to decrypt a corresponding encrypted application in the secure environment. However, Takeuchi discloses transmitting decryption key when protected software is transmitted to the program execution program (Takeuchi: figure 1). It would have been obvious to one having ordinary skill in the art to process different software with different keys sequentially. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Takeuchi within the system of Cassagnol because it is well known in the art to process multiple software within a single processor.

Art Unit: 2431

33. As per claim 18, Cassagnol discloses the method of claim 2. Cassagnol does not explicitly disclose wherein multiple keys can be transferred successively on the secure channel into the secure environment, each key being used to decrypt a corresponding encrypted application in the secure environment. However, Takeuchi discloses transmitting decryption key when protected software is transmitted to the program execution program (Takeuchi: figure 1). It would have been obvious to one having ordinary skill in the art to process different software with different keys sequentially. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Takeuchi within the system of Cassagnol because it is well known in the art to process multiple software within a single processor.

34. As per claim 21, Cassagnol discloses the method of claim 9. Cassagnol does not explicitly disclose wherein multiple keys can be transferred successively on the secure channel into the secure environment, each key being used to decrypt a corresponding encrypted application in the secure environment. However, Takeuchi discloses transmitting decryption key when protected software is transmitted to the program execution program (Takeuchi: figure 1). It would have been obvious to one having ordinary skill in the art to process different software with different keys sequentially. Therefore, it would have been obvious to one having ordinary skill in the art at the time of applicant's invention to combine the teachings of Takeuchi within the system of Cassagnol because it is well known in the art to process multiple software within a single processor.

Art Unit: 2431

35. As per claim 29, Cassagnol as modified discloses the method of claim 7. Cassagnol as modified further disclose wherein said processor is further configured to:

encrypting, in said secure environment, each of said multiple keys by means of the second key (Cassagnol: [0058] and [0061]-[0062]: the encrypted master key/encrypted first key can be decrypted using device key/second key); and

storing, outside said secure environment, each of the multiple keys encrypted by the second key (Cassagnol: [0058]: the whitening keys are stored outside of the secure environment).

36. As per claim 30, Cassagnol as modified discloses the method of claim 29. Cassagnol as modified further discloses wherein said installation part is for receiving another encrypted application in the terminal (Cassagnol: [0043]: handling the encrypted software within the secure environment); loading the encrypted first key from outside said secure environment (Cassagnol: [0058]: the key is imported externally for decryption); decrypting the encrypted first key with the second key (Cassagnol: [0061]: the master key is decrypted using device key); and decrypting the other encrypted application with the decrypted first key (Cassagnol: [0061]: the software master key is used to decrypt the application).

37. As per claim 31, Cassagnol as modified discloses the apparatus of claim 14. Cassagnol as modified further disclose wherein said processor is further configured to:

encrypting, in said secure environment, each of said multiple keys by means of the second key (Cassagnol: [0058] and [0061]-[0062]: the encrypted master key/encrypted first key can be decrypted using device key/second key); and

Art Unit: 2431

storing, outside said secure environment, each of the multiple keys encrypted by the second key (Cassagnol: [0058]: the whitening keys are stored outside of the secure environment).

38. As per claim 32, Cassagnol as modified discloses the method of claim 29. Cassagnol as modified further discloses wherein said installation part is for receiving another encrypted application in the terminal (Cassagnol: [0043]: handling the encrypted software within the secure environment); loading the encrypted first key from outside said secure environment (Cassagnol: [0058]: the key is imported externally for decryption); decrypting the encrypted first key with the second key (Cassagnol: [0061]: the master key is decrypted using device key); and decrypting the other encrypted application with the decrypted first key (Cassagnol: [0061]: the software master key is used to decrypt the application).

Response to Arguments

39. Applicant's arguments filed on 10/27/08 have been fully considered but they are not persuasive.

40. Regarding applicant's remarks, applicant mainly argues that the prior art of record fails to clearly define the first key that is transferred by key server to the secure device when the prior art discloses software import/export master key and whitening keys. However, the examiner disagrees. Cassagnol discloses that the software import/export master key is transferred from key server to the apparatus (Cassagnol: [0112]) for import/export operation on the data (Cassagnol: [0043]: the secure environment performs import/export for decryption and encryption) and the

Art Unit: 2431

whitening key is later generated through different cycles of import/export following the initial import/export key operation using import/export master key (Cassagnol: [0057]). Therefore, although terms are used differently, Cassagnol discloses the first key by referring to the import/export master key and whitening key in key cycling process.

Conclusion

41. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SHIN-HON CHEN whose telephone number is (571)272-3789. The examiner can normally be reached on Monday through Friday 8:30am to 5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on (571) 272-3795. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2431

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Shin-Hon Chen
Examiner
Art Unit 2431

/Shin-Hon Chen/
Examiner, Art Unit 2431